





TestQ ID: Default Random TestQ Control: 0.518 G rms Elapsed: 0 hr 1 min 28 sec Profile: 1 of 1
Profile ID: ASTM D 4169 Truck Level II Demand: 0.516 G rms - 100.0% Remaining: 2 hr 58 min 31 sec Total: 0 hr 0 min 0 sec



PROFILE: Modified ASTM D4169 Truck Level II
DURATION: 180 MINUTES
JOB NUMBER: 10039
CUSTOMER: Nashwa Khogali-Watson from Guardian Industries
CONTAINER: Corrugated Sleeve Pack



TestQ ID: Default Random TestQ **Control:** 0.518 G rms **Elapsed:** 0 hr 1 min 28 sec **Profile:** 1 of 1
Profile ID: ASTM D 4169 Truck Level II **Demand:** 0.516 G rms - 100.0% **Remaining:** 2 hr 58 min 31 sec **Total:** 0 hr 0 min 0 sec



PROFILE: Modified ASTM D4169 Truck Level II
DURATION: 180 MINUTES
JOB NUMBER: 10039
CUSTOMER: Nashwa Khogali-Watson from Guardian Industries
CONTAINER: Corrugated Sleeve Pack



TestQ ID: Default Random TestQ Control: 0.518 G rms Elapsed: 0 hr 1 min 28 sec Profile: 1 of 1
Profile ID: ASTM D 4169 Truck Level II Demand: 0.516 G rms - 100.0% Remaining: 2 hr 58 min 31 sec Total: 0 hr 0 min 0 sec

